

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form : Mixture  
Trade name : Copper Grade EZ BREAK® Aerosol

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Use of the substance/mixture : Paint.

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet**

LA-CO Industries Europe S.A.S.  
Parc Industriel de la Plaine de  
l'Ain - Allée des Combes.  
01150.BLYES.France.  
Phone: +33 (0)4 74 46 23 23  
Fax: +33 (0)4 74 46 23 29  
E-mail: info@eu.laco.com  
Web: http://www.markal.com

**1.4. Emergency telephone number**

Emergency number : 24-hour emergency: CHEMTREC- U.S. : 1-800-424-9300 International: +1-703-527-3887

EU Member State	Officieel adviesorgaan	Adres	Noodnummer
AUSTRIA	Vergiftungsinformationszentrale (Poisons Information Centre)	Allgemeines Krankenhaus Waehringer Geurtel 18-20 1090 Wien	+43 1 406 43 43
BELARUS	The Belarus Republican Poisons Centre	Kizhevatova str. 58 220115 Minsk	+375 (0)17 201 9158
BELGIUM	Centre Anti-Poisons/Antigifocentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 B -1120 Bruxelles/Brussel	+32 70 245 245
BULGARIA	Национален токсикологичен информационен център National Clinical Toxicology Centre, Emergency Medical Institute "Pirogov"	21 Totleben Boulevard 1606 SOFIA	+359 2 9154 409
CROATIA	Poisons Control Centre Institute of Medical Research & Occupational Health	Ksaverska Cesta 2 P.O. Box 291 HR-10000 Zagreb	+385 1 234 8342
CZECH REPUBLIC	Toxikologické informační středisko Clinic For Occupational Medicine, 1st Medical Faculty, Charles University	Na Bojišti 1 120 00 Praha 2	+42 2 2491 9293 +42 2 2491 5402
DENMARK	Gifflinjen Bispebjerg Hospital	Bispebjerg Bakke 23, 60, 1 DK-2400 København NV	+45 82 12 12 12 +45 35 31 55 55
ESTONIA	Mürgistusteabekeskus	Gonsiori 29 15027 Tallinn	+372 626 93 90
FINLAND	Myrkytystietokeskus	P.O.B 340 (Haartmaninkatu 4) HUS SF - 00029 Helsinki	+358 9 471 977
FRANCE	ORFILA		+33 1 45 42 59 59
GERMANY	Berliner Betrieb für Zentrale Gesundheitliche Aufgaben	Oranienburger Strasse 285 13437 Berlin	+49 30 19240
GERMANY	Informations und Beratungszentrum für Vergiftungsfälle	Kirrberger Straße, Gebäude 9 D-66421 Homburg/Saar	+49 6841 19240
GERMANY	Beratungstelle bei Vergiftungen, Klinische Toxikologie und Beratungsstelle bei Vergiftungen	Langenbeckstrasse 1 55131 Mainz	+49 6131 19240
GREECE	Poisons Information Centre	11527 Athens	+30 10 779 3777
HUNGARY	Országos Kémiai Biztonsági Intézet (National Institute of Chemical Safety) Egészségügyi Toxikológiai Tájékoztató Szolgálat (Health Toxicological Information Service)	1437 Budapest PO Box 839 1097 Budapest, Nagyváradi tér 2	+36 80 20 11 99
ICELAND	Eitrunarmiðstöðin	Eitrunarmiðstöðin 108 Reykjavik	+354 543 22 22
IRELAND	National Poisons Information Centre	Beaumont Hospital PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2166
LATVIA	Valsts Toksikoloģijas centra Saindēšanās un zāļu informācijas centrs	2 Hipocrate Street LV 1038 Riga	+371 67 04 24 73

# Copper Grade EZ BREAK® Aerosol

## Safety Data Sheet

according to Regulation (EU) 2015/830

LITHUANIA	Apsinuodijimų kontrolės ir informacijos biuras	Siltnamiu 29 2043 Vilnius	+370 5 236 20 52/+370 687 53 378
MALTA	Medicines & Poisons Info Office	Mater Dei Hospital, Msida MSD 2090 Malta	25450000
NETHERLANDS	Nationaal Vergiftigingen Informatie Centrum National Institute for Public Health and the Environment, NB this service is only available to health professionals	Huispostnummer B.00.118, PO Box 85500 3508 GA Utrecht	+31 30 274 88 88
PORTUGAL	Centro de Informação Antivenenos Instituto Nacional de Emergência Médica (INEM)	Rua Almirante Barroso, 36 1000-013 Lisboa	808 250 143 (for use only in Portugal), +351 21 330 3284
ROMANIA	Biroul pentru Regulamentul Sanitar International si Informare Toxicologica	Str. Dr. Leonte Anastasievici Nr.1-3, Sector 5 50463 Bucuresti	+40 21 318 36 06
SLOVAKIA	Národné toxikologické informačné centrum University Hospital Bratislava	Limbová 5 833 05 Bratislava	+421 2 54 77 4 166
SPAIN	Servicio de Información Toxicológica Instituto Nacional de Toxicología, Departamento de Madrid	Calle Luis Cabrera 9 E-28002 Madrid	+34 91 562 04 20
SWEDEN	Giftinformationscentralen Swedish Poisons Information Centre, Karolinska Hospital	Box 60 500 SE-171 76 Stockholm	+46 8 33 12 31 (International) 112 (National)
SWITZERLAND	Centre Suisse d'Information Toxicologique	Freiestrasse 16 Postfach CH-8028 Zurich	+41 44 251 51 51 (International) 145 (National)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 1 H222;H229

Aquatic Acute 1 H400

Aquatic Chronic 3 H412

Full text of hazard classes and H-statements : see section 16


#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) :

Danger

Hazard statements (CLP) :

H222 - Extremely flammable aerosol  
H229 - Pressurised container: May burst if heated  
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P251 - Do not pierce or burn, even after use  
P273 - Avoid release to the environment  
P391 - Collect spillage  
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F  
P501 - Dispose of contents/container to an authorised waste collection point

Unknown acute toxicity (CLP: Classification, Labelling, Packaging.) - SDS :

9.19% of the mixture consists of ingredient(s) of unknown acute oral toxicity  
9.19% of the mixture consists of ingredient(s) of unknown acute dermal toxicity

### 2.3. Other hazards

PBT: not yet assessed

vPvB: not yet assessed

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

Comments : Only component with health hazards above the applicable thresholds and/or Exposure Limit

# Copper Grade EZ BREAK® Aerosol

## Safety Data Sheet

according to Regulation (EU) 2015/830

values are shown.

Exact concentrations are withheld as trade secret.

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Wet ground mica	(CAS No) 12001-26-2 (EC no) 310-127-6	15 – 25	Not classified
Naphtha (petroleum), hydrotreated light	(CAS No) 64742-49-0 (EC no) 265-151-9 (EC index no) 649-328-00-1	10 – 20	Flam. Liq. 2, H225 Asp. Tox. 1, H304
Propane	(CAS No) 74-98-6 (EC no) 200-827-9 (EC index no) 601-003-00-5	10 – 20	Flam. Gas 1, H220
n-Butane	(CAS No) 106-97-8 (EC no) 203-448-7 (EC index no) 601-004-00-0	5 – 10	Flam. Gas 1, H220
Copper, dusts and mists (as Cu)	(CAS No) 7440-50-8 (EC no) 231-159-6	1 – 5	Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
Zinc (pyrophoric)	(CAS No) 7440-66-6 (EC no) 231-175-3 (EC index no) 030-001-00-1	0.1 – 2	Pyr. Sol. 1, H250 Water-react. 1, H260 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
aluminium powder (pyrophoric)	(CAS No) 7429-90-5 (EC no) 231-072-3 (EC index no) 013-001-00-6	0.01 – 2	Pyr. Sol. 1, H250 Water-react. 2, H261
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	(CAS No) 68649-42-3 (EC no) 272-028-3	0 – 1	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Silicon dioxide (amorphous)	(CAS No) 7631-86-9 (EC no) 231-545-4	0.1 – 1	Not classified

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Cough. If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
- First-aid measures after skin contact : Wash with plenty of soap and water.
- First-aid measures after eye contact : Direct contact with the eyes is likely to be irritating. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- First-aid measures after ingestion : Do NOT induce vomiting unless directed to do so by medical personnel. Call a POISON CENTER or doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : Shortness of breath. Inhalation may cause: irritation, coughing, shortness of breath.
- Symptoms/injuries after eye contact : Direct contact with the eyes is likely to be irritating.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : None known.

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Extremely flammable aerosol.
- Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. May form flammable/explosive vapour-air mixture.
- Reactivity in case of fire : on exposure to temperature rise. (increased) risk of fire/explosion.
- Hazardous decomposition products in case of fire : Carbon monoxide. Carbon dioxide. metallic oxides.

#### 5.3. Advice for firefighters

- Firefighting instructions : DO NOT fight fire when fire reaches explosives. Evacuate area. Exercise caution when fighting any chemical fire. Do not allow run-off from fire fighting to enter drains or water courses.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Wear fire/flame resistant/retardant clothing. Wear a self contained breathing apparatus. EN469.

# Copper Grade EZ BREAK® Aerosol

## Safety Data Sheet

according to Regulation (EU) 2015/830

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.

##### 6.1.1. For non-emergency personnel

Protective equipment : Avoid contact with skin and eyes. In case of inadequate ventilation wear respiratory protection.  
Emergency procedures : Eliminate ignition sources. Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment : Avoid contact with skin and eyes. Where excessive vapour, mist, or dust may result, use approved respiratory protection equipment.  
Emergency procedures : Ventilate area. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Do not discharge into drains or the environment. Prevent dispersion.

#### 6.3. Methods and material for containment and cleaning up

For containment : Absorb and/or contain spill with inert material, then place in suitable container.  
Methods for cleaning up : Take up in non-combustible absorbent material and shove into container for disposal.

#### 6.4. Reference to other sections

Section 13: disposal information. Section 7: safe handling. Section 8: personal protective equipment.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed : Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.  
Precautions for safe handling : Do not spray on an open flame or other ignition source. Eliminate all ignition sources if safe to do so.  
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.  
Storage conditions : Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place.  
Incompatible products : Acids. Alkali. Oxidizing agent.  
Incompatible materials : Heat sources. Direct sunlight. Sources of ignition.  
Heat and ignition sources : Keep away from heat, sparks and flame.  
Prohibitions on mixed storage : Incompatible materials.  
Storage area : Store in dry, cool, well-ventilated area.

#### 7.3. Specific end use(s)

Paint.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

n-Butane (106-97-8)		
Denmark	Grænseværdie (kortvarig) (mg/m <sup>3</sup> )	2400 mg/m <sup>3</sup>
Denmark	Grænseværdie (kortvarig) (ppm)	1000 ppm
Slovakia	NPHV (priemerná) (mg/m <sup>3</sup> )	2400 mg/m <sup>3</sup>
Slovakia	NPHV (priemerná) (ppm)	1000 ppm
Slovakia	Upozornenie (SK)	(Dokázaný karcinogén pre ľudí, Pravdepodobný mutagén)
Spain	VLA-ED (mg/m <sup>3</sup> )	1935 mg/m <sup>3</sup>
Spain	VLA-ED (ppm)	800 ppm
Silicon dioxide (amorphous) (7631-86-9)		
Austria	MAK (mg/m <sup>3</sup> )	4 mg/m <sup>3</sup>
Austria	Remark (AT)	(einatembare Fraktion)
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
Germany	TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> )	4 mg/m <sup>3</sup>
Germany	Remark (TRGS 900)	(einatembare Fraktion)

# Copper Grade EZ BREAK® Aerosol

## Safety Data Sheet

according to Regulation (EU) 2015/830

<b>Silicon dioxide (amorphous) (7631-86-9)</b>		
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	2.4 mg/m <sup>3</sup> 6 mg/m <sup>3</sup> (total inhalable dust)
Spain	VLA-ED (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Spain	Notes	(respirable aerosol)
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	6 mg/m <sup>3</sup> (inhalable aerosol) 2.4 mg/m <sup>3</sup> (respirable aerosol)
Switzerland	VME (mg/m <sup>3</sup> )	4 mg/m <sup>3</sup>
Switzerland	Remark (CH)	(einatembarer Staub)
<b>Wet ground mica (12001-26-2)</b>		
Austria	MAK (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Austria	Remark (AT)	inhalable aerosol
Belgium	Limit value (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup>
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> total inhalable dust 0.8 mg/m <sup>3</sup> respirable dust
Spain	VLA-ED (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup>
Spain	Notes	d,e
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> inhalable aerosol 0.8 mg/m <sup>3</sup> respirable aerosol
Norway	Grønseverdier (AN) (mg/m <sup>3</sup> )	6 mg/m <sup>3</sup> Glimmer, totalstøv 3 mg/m <sup>3</sup> Glimmer, respirabelt støv
Switzerland	VME (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup>
Switzerland	Remark (CH)	(respirable aerosol)
<b>aluminium powder (pyrophoric) (7429-90-5)</b>		
Belgium	Limit value (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>
Belgium	Remark (BE)	(Aluminium, métal et composés insolubles, fraction alvéolaire)
Denmark	Grænseværdie (kortvarig) (mg/m <sup>3</sup> )	4 mg/m <sup>3</sup> (respirabel) 10 mg/m <sup>3</sup> (total)
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
Finland	Huomautus (FI)	(Alumiini, liukoiset yhdisteet)
France	VME (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (pulvérulent) 10 mg/m <sup>3</sup> (metal)
Germany	TRGS 903 (BGW)	200 µg/l
Germany	Remark (TRGS 903)	Aluminium (Urin; Expositionsende bzw. Schichtende)
Hungary	Megjegyzések (HU)	(respirábilis por)
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>
Ireland	Notes (IE)	(respirable dust)
Lithuania	IPRV (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (alveoline frakcija) 1 mg/m <sup>3</sup> (Aliuminis (metalas) ir jo tirpus junginiai, kaip Al) 5 mg/m <sup>3</sup> (ákvepiamoji frakcija )
Netherlands	Grenswaarde TGG 8H (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Poland	NDS (mg/m <sup>3</sup> )	2.5 mg/m <sup>3</sup> (dymy, pyl calkowity) 1.2 mg/m <sup>3</sup> (dymy, pyl respirabilny)
Slovakia	NPHV (priemerná) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
Slovakia	NPHV (priemerná) (ppm)	60 µg/g creatinine (Hliník, M,a) 25 µg/g creatinine (Celkový, M,,d) 150 µg/g creatinine (Celkový,M,b)
Spain	VLA-ED (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (inhalable aerosol) 5 mg/m <sup>3</sup> (respirable aerosol)
Sweden	nivågränsvärde (NVG) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> (Aluminium, lösliga föreningar, som Al) 5 mg/m <sup>3</sup> (totaldamm, som Al) 2 mg/m <sup>3</sup> (respirabelt damm, som Al)
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (inhalable dust) 4 mg/m <sup>3</sup> (respirable dust)
Norway	Merknader (NO)	(Aluminiumpulver, pyroteknikk)
Switzerland	VME (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup>
Switzerland	Remark (CH)	(alveolengängiger Staub)

# Copper Grade EZ BREAK® Aerosol

## Safety Data Sheet

according to Regulation (EU) 2015/830

<b>Zinc (pyrophoric) (7440-66-6)</b>		
Slovakia	NPHV (priemerná) (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup> (inhalovatelná frakcia) 2 mg/m <sup>3</sup>
Switzerland	VME (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup> (alveolengängiger Staub) 2 mg/m <sup>3</sup> (einatembare Staub)
<b>Naphtha (petroleum), hydrotreated light (64742-49-0)</b>		
Sweden	nivågränsvärde (NVG) (mg/m <sup>3</sup> )	180 mg/m <sup>3</sup>
Sweden	nivågränsvärde (NVG) (ppm)	50 ppm
Sweden	kortidsvärde (KTV) (mg/m <sup>3</sup> )	250 mg/m <sup>3</sup>
Sweden	kortidsvärde (KTV) (ppm)	75 ppm
Norway	Grenseverdier (AN) (mg/m <sup>3</sup> )	275 mg/m <sup>3</sup>
Norway	Grenseverdier (AN) (ppm)	50 ppm
<b>Propane (74-98-6)</b>		
Denmark	Grænseværdie (kortvarig) (mg/m <sup>3</sup> )	3600 mg/m <sup>3</sup>
Denmark	Grænseværdie (kortvarig) (ppm)	2000 ppm

### 8.2. Exposure controls

Appropriate engineering controls	: Use only outdoors or in a well-ventilated area.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: It is a good industrial hygiene practice to minimize skin contact. Impermeable protective nitrile gloves. EN 374.
Eye protection	: In case of splashing or aerosol production: protective goggles. EN 166.
Respiratory protection	: Wear respiratory protection. Use an approved respirator equipped with oil/mist cartridges. EN 12083.
Other information	: Do not eat, drink or smoke when using this product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Aerosol.
Colour	: copper. Silver. Gray.
Odour	: Oil-like.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: < -18 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol
Vapour pressure	: 344.7 kPa @ 20 °C
Relative vapour density at 20 °C	: No data available
Relative density	: 0.855
Solubility	: insoluble in water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

VOC content	: 40 %
-------------	--------

# Copper Grade EZ BREAK® Aerosol

## Safety Data Sheet

according to Regulation (EU) 2015/830

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No dangerous reactions known.

#### 10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Heat. Sparks. Open flame. Direct sunlight. Overheating.

#### 10.5. Incompatible materials

Acids. Alkali. Oxidizing agent.

#### 10.6. Hazardous decomposition products

Thermal decomposition generates : Carbon dioxide. Carbon monoxide. metallic oxides.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Silicon dioxide (amorphous) (7631-86-9)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 58.8 mg/l/4h

aluminium powder (pyrophoric) (7429-90-5)	
LD50 oral rat	> 15900 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 10 mg/l/4h

Zinc (pyrophoric) (7440-66-6)	
LD50 oral rat	> 2000 mg/kg OECD 401
LC50 inhalation rat (mg/l)	5.41 g/m <sup>3</sup> OECD 403
ATE CLP (vapours)	5.410 mg/l/4h
ATE CLP (dust,mist)	5.410 mg/l/4h

Copper, dusts and mists (as Cu) (7440-50-8)	
LD50 oral rat	> 2500 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 5.11 mg/l/4h

Naphtha (petroleum), hydrotreated light (64742-49-0)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 5610 mg/m <sup>3</sup> air (analytical)

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)	
LD50 oral rat	26100 mg/kg
ATE CLP (oral)	26100.000 mg/kg bodyweight

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified.

Carcinogenicity : Not classified.

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Zinc (pyrophoric) (7440-66-6)	
NOAEL (oral, rat, 90 days)	458 mg/kg bodyweight/day

Aspiration hazard : Not classified



# Copper Grade EZ BREAK® Aerosol

## Safety Data Sheet

according to Regulation (EU) 2015/830

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - water : Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

<b>Silicon dioxide (amorphous) (7631-86-9)</b>	
LC50 fish 1	> 10000 mg/l
EC50 Daphnia 1	> 1000 mg/l
<b>Zinc (pyrophoric) (7440-66-6)</b>	
LC50 fish 1	0.168 (0.168 - 2.92) mg/l
EC50 Daphnia 1	1.833 (1.833 - 2.909) mg/l OECD 202
NOEC (acute)	0.117 mg/l 5 day study
NOEC chronic fish	0.169 mg/l (0.169 - 0.172) 30 day study
NOEC chronic crustacea	0.025 mg/l Basis for effect: reproduction. 1 wk study
NOEC chronic algae	0.024 mg/l OECD 201
<b>Copper, dusts and mists (as Cu) (7440-50-8)</b>	
LC50 fish 1	0.2 mg/l
EC50 Daphnia 1	0.041 mg/l
NOEC chronic fish	0.01 mg/l
<b>Naphtha (petroleum), hydrotreated light (64742-49-0)</b>	
LC50 fish 1	5.4 mg/l 48 h
<b>Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)</b>	
LC50 fish 1	10 (10 - 35) mg/l Pimephales promelas OECD GDL 203 (water accomodated fraction)
EC50 Daphnia 1	1 (1 - 1.5) mg/l OECD GDL 202 (water accomodated fraction)
NOEC (acute)	10 mg/l Pimephales promelas OECD GDL 203 (water accomodated fraction)
NOEC chronic crustacea	< 1 mg/l

#### 12.2. Persistence and degradability

<b>Copper Grade EZ BREAK® Aerosol</b>	
Persistence and degradability	May cause long-term adverse effects in the environment.
<b>Silicon dioxide (amorphous) (7631-86-9)</b>	
Persistence and degradability	Product persists.
<b>Copper, dusts and mists (as Cu) (7440-50-8)</b>	
Persistence and degradability	Not readily biodegradable.
<b>Naphtha (petroleum), hydrotreated light (64742-49-0)</b>	
Persistence and degradability	Readily biodegradable.
Biodegradation	77 % 28 d

#### 12.3. Bioaccumulative potential

<b>Zinc (pyrophoric) (7440-66-6)</b>	
Bioaccumulative potential	Not expected to bioaccumulate.
<b>Copper, dusts and mists (as Cu) (7440-50-8)</b>	
BCF fish 1	0.009
Bioaccumulative potential	Not expected to bioaccumulate.

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

<b>Copper Grade EZ BREAK® Aerosol</b>	
PBT: not yet assessed	
vPvB: not yet assessed	

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods : Do not dispose in household garbage.  
Sewage disposal recommendations : Do not dispose of waste into sewer.  
Waste disposal recommendations : Container under pressure. Do not drill or burn even after use. Dispose in a safe manner in accordance with local/national regulations.



# Copper Grade EZ BREAK® Aerosol

## Safety Data Sheet

according to Regulation (EU) 2015/830

Additional information	: Flammable vapours may accumulate in the container.
Ecology - waste materials	: Hazardous waste due to toxicity.
European List of Waste (LoW) code	: For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used. 14 06 00 - waste organic solvents, refrigerants and foam/aerosol propellants
H code	: H3-A - 'Highly flammable' : — liquid substances and preparations having a flash point below 21 °C (including extremely flammable liquids), or — substances and preparations which may become hot and finally catch fire in contact with air at ambient temperature without any application of energy, or — solid substances and preparations which may readily catch fire after brief contact with a source of ignition and which continue to burn or to be consumed after removal of the source of ignition, or — gaseous substances and preparations which are flammable in air at normal pressure, or — substances and preparations which, in contact with water or damp air, evolve highly flammable gases in dangerous quantities. H14 - 'Ecotoxic': waste which presents or may present immediate or delayed risks for one or more sectors of the environment.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR)	: 1950
UN-No. (IATA)	: 1950
UN-No. (IMDG)	: 1950
UN-No. (ADN)	: 1950

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Aerosols, flammable
Proper Shipping Name (IATA)	: Aerosols, flammable
Proper Shipping Name (IMDG)	: AEROSOLS
Proper Shipping Name (ADN)	: AEROSOLS
Transport document description (ADR)	: UN 1950 AEROSOLS (flammable), 2.1, (D), ENVIRONMENTALLY HAZARDOUS

#### 14.3. Transport hazard class(es)

Class (ADR)	: 2
Classification code (ADR)	: 5F
Class (IATA)	: 2
Class (IMDG)	: 2
Class (ADN)	: 2
Classification code (ADN)	: 5F
Division (IATA)	: 2.1

#### 14.4. Packing group

Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment :



Other information : No supplementary information available.

#### 14.6. Special precautions for user

##### 14.6.1. Overland transport

Classification code (ADR)	: 5F
Tunnel restriction code (ADR)	: D

##### 14.6.2. Transport by sea

EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None

##### 14.6.3. Inland waterway transport

Carriage prohibited (ADN)	: No
---------------------------	------

# Copper Grade EZ BREAK® Aerosol

## Safety Data Sheet

according to Regulation (EU) 2015/830

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 44 %

#### 15.1.2. National regulations

##### Germany

Water hazard class (WGK) : 3 - severe hazard to waters

WGK remark : Classification based on the R-phrases in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS)

Storage class (LGK) : LGK 2B - Aerosol

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

according to Regulation (EU) 2015/830

Indication of changes:

Original Document.

Abbreviations and acronyms:

	ACGIH (American Conference of Government Industrial Hygienists)
	ATE: Acute Toxicity Estimate
	CAS (Chemical Abstracts Service) number
	CLP: Classification, Labelling, Packaging.
	DNEL: Derived No Effect Level
	EC50: Environmental Concentration associated with a response by 50% of the test population.
	GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).
	LD50: Lethal Dose for 50% of the test population
	NOEC: No Observable Effect Concentration
	OSHA: Occupational Safety & Health Administration
	PBT: Persistent, Bioaccumulative, Toxic
	PNEC: Predicted No Effect Level
	STEL: Short Term Exposure Limits
	TSCA: Toxic Substances Control Act
	TWA: Time Weighted Average

Data sources

: ESIS (European chemical Substances Information System; accessed at: <http://esis.jrc.ec.europa.eu/index.php?PGM=cla>.

European Chemicals Agency (ECHA) Registered Substances list. Accessed at <http://echa.europa.eu/>. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition.

National Fire Protection Association; Fire Protection Guide to Hazardous Materials; 10th edition.

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

TSCA Chemical Substance Inventory. Accessed at <http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html>.

Other information

: None.

Full text of R-, H- and EUH-statements:

Aerosol 1	Aerosol, Category 1
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3

# Copper Grade EZ BREAK® Aerosol

## Safety Data Sheet

according to Regulation (EU) 2015/830

Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1	Flammable gases, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Pyr. Sol. 1	Pyrophoric Solids, Category 1
Water-react. 1	Substances and Mixtures which, in contact with water, emit flammable gases, Category 1
Water-react. 2	Substances and Mixtures which, in contact with water, emit flammable gases, Category 2
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H229	Pressurised container: May burst if heated
H250	Catches fire spontaneously if exposed to air
H260	In contact with water releases flammable gases which may ignite spontaneously
H261	In contact with water releases flammable gases
H304	May be fatal if swallowed and enters airways
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Aerosol 1	H222;H229	Expert judgment
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 3	H412	Calculation method

LA-CO EU CLP SDS

**SDS Prepared by:** The Redstone Group, LLC  
6077 Frantz Rd.  
Suite 206  
Dublin, OH USA 43016  
T 614-923-7472  
[www.redstonegrp.com](http://www.redstonegrp.com)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*